



CASTLE ROCK
ANTIQUÉ COPPER
COUNTRY CASTLE
ROCK

GEOLOGY: sandstone- quarried in USA

COLOR RANGE

burnt tones, browns, buffs, black, red, mustard, occasional moss and lichens

COLOR CONSISTENCY PER PALLET

somewhat consistent

PALLET

FULL VENEER: 4,000 pounds
 THIN VENEER: 10-15 lbs/ft²; Qty Bx or Sm Bx
 Qty Bx-100 sq ft flats and 50 lineal ft corners
 Sm Bx- (24) 8 sq ft flats (192 sq ft) and
 (20) 8 lineal ft corners (160 lineal ft)

ASTM TESTING DATA

ANTIQUÉ COPPER C97
 water absorption—2.8%
 ANTIQUÉ COPPER C97 density—149.3 pcf
 ANTIQUÉ COPPER C97 specific gravity—2.393
 ANTIQUÉ COPPER C1549-09
 solar reflectance—24.7%
 ANTIQUÉ COPPER C1371-15
 thermal emittance—0.90
 ANTIQUÉ COPPER E1980-11
 solar reflective index—25

PART NUMBERS

FULL VENEER:
 1BSTSCH02002TN- Sold per Ton
THIN VENEER:
 Qty Bx flat: 1BTVSCH01003QB- Sold per pallet
 Sm Bx flat: 1BTVSCH01003BX- Sold per box
 Qty Bx corner: 1BTVSCH01503QB- Sold per pallet
 Sm Bx corner: 1BTVSCH01503BX- Sold per box

FULL VENEER

*Est.(can vary)

COMMON COVERAGE	Drystack	Overgrout
Standard Joint 40 square feet / ton	30 ft ² /ton	50 ft ² /ton

DIMENSIONS
 l: 4" to 24" (14")
 h: 4" to 12"
 w: 2" to 6" (4")
 Stone ends shall be no less than 2-1/2" width
TYPICAL PIECE

Ends somewhat square; split or natural split top, bottom, and sides; bedface face and back; stone is rough squares and rectangles.

THIN VENEER

*Est.(can vary)

COMMON COVERAGE PER BOX	Drystack	Overgrout
Standard Joint 8 & 100 square feet	6 & 75 ft ²	10 & 110 ft ²

DIMENSIONS
 l: 4" to 24" (14")
 h: 4" to 12"
 w: 3/4" to 1-1/4" (1")
 corner return 3" to 6"
TYPICAL PIECE

Ends somewhat square; split or natural split top, bottom, and sides; bedface face and sawn back; stone is rough squares and rectangles.

ARCHITECT/DESIGNER INFO

MATERIAL BANK

SKU: SM02002



INSTALLATION SHOWN

Mortar: Western W-385
 Joint Type: Raked

BIM DETAILS

Revit, Hatch Patterns,
 Seamless Textures, 3-Part
 Specs, DWGS, SDS,
 Warranty

