



ASHLAR
CHILTON CAMBRIAN
BLEND

GEOLOGY: dolomitic limestone- quarried in USA

COLOR RANGE

75% Chilton Country Squire
 25% Chilton Rustic

COLOR CONSISTENCY PER PALLET

somewhat consistent

PALLET

FULL VENEER: 4,000 pounds
 THIN VENEER: 10-15 lbs/ft²; Qty Bx or Sm Bx
 Qty Bx-100 sq ft flats and 50 lineal ft corners
 Sm Bx- (24) 8 sq ft flats (192 sq ft) and
 (20) 8 lineal ft corners (160 lineal ft)

ASTM TESTING DATA

CHILTON C97 water absorption—0.08%
 CHILTON C97 density—177.4 pcf
 CHILTON C99 modulus of rupture—1,220 psi
 CHILTON C170
 compressive strength w/rift—50,560 psi
 compressive strength across rift—38,090 psi
 CHILTON C880 flexural strength—3,070 psi

PART NUMBERS

FULL VENEER:

1BSTBUE01015TN- Sold per Ton

THIN VENEER:

Qty Bx flat: 1BTVBUE01015QB - Sold per pallet

Sm Bx flat: 1BTVBUE01015BX- Sold per box

Qty Bx corner: 1BTVBUE01515QB- Sold per pallet

Sm Bx corner: 1BTVBUE01515BX- Sold per box

FULL VENEER

COMMON COVERAGE *Est.(can vary)

Standard Joint	Drystack	Overgrout
40 square feet / ton	30 ft ² /ton	50 ft ² /ton

DIMENSIONS

l: 6" to 42" (14")

h: 1/2" to 8"

w: 3" to 5" (4")

Stone ends shall be no less than 2-1/2" width

TYPICAL PIECE

Ends somewhat square, natural cleft top and bottom. Back, face and sides split, weatheredge and seamface face. Stone is mostly rectangular.

THIN VENEER

COMMON COVERAGE PER BOX *Est.(can vary)

Standard Joint	Drystack	Overgrout
8 & 100 square feet	6 & 75 ft ²	10 & 110 ft ²

DIMENSIONS

l: 6" to 24" (12")

h: 1/2" to 8"

w: 3/4" to 1-1/4" (1")

corner return 3" to 5"

TYPICAL PIECE

Ends somewhat square; natural cleft top & bottom; face & sides split, weatheredge and seamface; sawn back. Stone is mostly rectangular.

ARCHITECT/DESIGNER INFO

MATERIAL BANK

SKU: SM01005



INSTALLATION SHOWN

Mortar: Laticrete- Std Gray

Joint Type: Raked

BIM DETAILS

Revit, Hatch Patterns,
 Seamless Textures, 3-Part
 Specs, DWGS, SDS,
 Warranty



www.buechelstone.com