

ASHLAR

CHILTON CUSTOM COUNTRY BLEND



GEOLOGY: dolomitic limestone- quarried in USA

COLOR RANGE

65% Chilton Country Squire
25% Chilton Rustic
10% Full Color Castle Rock

COLOR CONSISTENCY PER PALLET
somewhat consistent

PALLET

FULL VENEER: 4,000 pounds
THIN VENEER: 10-15 lbs/ft²; Qty Bx or Sm Bx
Qty Bx- 100 sq ft flats and 50 lineal ft corners
Sm Bx- (24) 8 sq ft flats (192 sq ft) and
(20) 8 lineal ft corners (160 lineal ft)

ASTM TESTING DATA

CHILTON C97 water absorption—0.08%
CHILTON C97 density—177.4 pcf
CHILTON C99 modulus of rupture—1,220 psi
CHILTON C170
compressive strength w/rift—50,560 psi
compressive strength across rift—38,090 psi
CHILTON C880 flexural strength—3,070 psi

PART NUMBER

FULL VENEER:

1BSTBUE01014TN- Sold per Ton

THIN VENEER:

Qty Bx flat: 1BTVBUE01014QB- Sold per pallet

Sm Bx flat: 1BTVBUE01014BX - Sold per box

Qty Bx corner: 1BTVBUE01514QB - Sold per pallet

Sm Bx corner: 1BTVBUE01514BX- Sold per box

ARCHITECT/DESIGNER INFO

MATERIAL BANK

SKU: SM01008



INSTALLATION SHOWN

Mortar: Western W-11

Joint Type: Raked

BIM DETAILS

Revit, Hatch Patterns,
Seamless Textures, 3-Part
Specs, DWGS, SDS,
Warranty



FULL VENEER

COMMON COVERAGE *Est.(can vary)

Standard Joint	Drystack	Overgrout
40 square feet / ton	30 ft ² /ton	50 ft ² /ton

DIMENSIONS

l: 6" to 42" (14")

h: 1/2" to 12"

w: 3" to 5" (4")

Stone Ends shall be no less than 2-1/2" width

TYPICAL PIECE

Ends square, natural cleft top and bottom.
Back, face and sides split, weatherege &
seamface, or bedface. Rectangular in appearance.

THIN VENEER

COMMON COVERAGE PER BOX *Est.(can vary)

Standard Joint	Drystack	Overgrout
8 & 100 square feet	6 & 75 ft ²	10 & 110 ft ²

DIMENSIONS

l: 6" to 24" (12")

h: 1/2" to 12"

w: 3/4" to 1-1/4" (1")

corner return 3" to 5"

TYPICAL PIECE

Ends square, natural cleft top and bottom.
Back, face and sides split, weatherege &
seamface, or bedface, back is sawn. Rectangular in appearance.