



ASHLAR

CHILTON KENSINGTON

BLEND

GEOLOGY: dolomitic limestone- quarried in USA

COLOR RANGE

70% Chilton Country Squire

30% Full Color Castle Rock

COLOR CONSISTENCY PER PALLET

somewhat consistent

PALLET

FULL VENEER: 4,000 pounds

THIN VENEER: 10-15 lbs/ft²; Qty Bx or Sm Bx

Qty Bx-100 sq ft flats and 50 lineal ft corners

Sm Bx- (24) 8 sq ft flats (192 sq ft) and

(20) 8 lineal ft corners (160 lineal ft)

ASTM TESTING DATA

CHILTON C97 water absorption—0.08%

CHILTON C97 density—177.4 pcf

CHILTON C99 modulus of rupture—1,220 psi

CHILTON C170

compressive strength w/rift—50,560 psi

compressive strength across rift—38,090 psi

CHILTON C880 flexural strength—3,070 psi

PART NUMBERS

FULL VENEER:

1BSTBUE01013TN- Sold per Ton

THIN VENEER:

Qty Bx flat: 1BTVBUE01013QB - Sold per pallet

Sm Bx flat: 1BTVBUE01013BX- Sold per box

Qty Bx corner: 1BTVBUE01513QB- Sold per pallet

Sm Bx corner: 1BTVBUE01513BX- Sold per box

FULL VENEER

COMMON COVERAGE ^{*Est.(can vary)}

Standard Joint	Drystack	Overgrout
40 square feet / ton	30 ft ² /ton	50 ft ² /ton

DIMENSIONS

l: 6" to 42" (14")

h: 1/2" to 12"

w: 3" to 5" (4")

Stone ends shall be no less than 2-1/2" width

TYPICAL PIECE

Ends somewhat square, natural cleft top and bottom. Back, face and sides split or bedface. Stone is mostly rectangular.

THIN VENEER

COMMON COVERAGE PER BOX ^{*Est.(can vary)}

Standard Joint	Drystack	Overgrout
8 & 100 square feet	6 & 75 ft ²	10 & 110 ft ²

DIMENSIONS

l: 6" to 24" (12")

h: 1/2" to 12"

w: 3/4" to 1-1/4" (1")

corner return 3" to 5"

TYPICAL PIECE

Ends somewhat square; natural cleft top & bottom; face & sides split or bedface; sawn back. Stone is mostly rectangular.

ARCHITECT/DESIGNER INFO

MATERIAL BANK

SKU: SM01009



INSTALLATION SHOWN

Mortar: Western Type S

Joint Type: Raked

BIM DETAILS

Revit, Hatch Patterns,
Seamless Textures, 3-Part
Specs, DWGS, SDS,
Warranty



www.buechelstone.com