

LEDGESTONE

CHILTON RUSTIC LEDGESTONE



GEOLOGY: dolomitic limestone- quarried in USA

COLOR RANGE
brown, buff, orange, yellow, red, and rust

COLOR CONSISTENCY PER PALLET
somewhat consistent

PALLET
FULL VENEER: 4,000 pounds
THIN VENEER: 10-15 lbs/ft²; Qty Bx or Sm Bx
Qty Bx- 100 sq ft flats and 50 lineal ft corners
Sm Bx- (24) 8 sq ft flats (192 sq ft) and
(20) 8 lineal ft corners (160 lineal ft)

ASTM TESTING DATA

CHILTON C97 water absorption—0.08%
CHILTON C97 density—177.4 pcf
CHILTON C99 modulus of rupture—1,220 psi
CHILTON C170
compressive strength w/rift—50,560 psi
compressive strength across rift—38,090 psi
CHILTON C880 flexural strength—3,070 psi
dry—n/a | 15,300 psi

PART NUMBER

FULL VENEER:
1BSTBUE01033TN - Sold per Ton

THIN VENEER:
Qty Bx flat: 1BTVBUE01034QB - Sold per pallet
Sm Bx flat: 1BTVBUE01034BX - Sold per box
Qty Bx corner: 1BTVBUE01535QB- Sold per pallet
Sm Bx corner: 1BTVBUE01535BX- Sold per box

ARCHITECT/DESIGNER INFO

MATERIAL BANK

SKU: SM05004



INSTALLATION SHOWN

Mortar: Laticrete MVIS
Joint Type: Drystack

BIM DETAILS

Revit, Hatch Patterns,
Seamless Textures, 3-Part
Specs, DWGS, SDS,
Warranty



FULL VENEER

COMMON COVERAGE *Est.(can vary)

| Standard Joint | Drystack | Overgrout |
|----------------------|-------------------------|-------------------------|
| 40 square feet / ton | 30 ft ² /ton | 50 ft ² /ton |

DIMENSIONS

l: 4" to 16" (8")

h: 1/2" to 3"

w: 3" to 5" (4")

TYPICAL PIECE

Ends random; Natural cleft or sawn top and bottom; weatheredge and seamface face; sides natural split or seamface; back sawn or split ; stone is linear.

THIN VENEER

COMMON COVERAGE PER BOX *Est.(can vary)

| Standard Joint | Drystack | Overgrout |
|---------------------|------------------------|--------------------------|
| 8 & 100 square feet | 6 & 75 ft ² | 10 & 110 ft ² |

DIMENSIONS

l: 4" to 16" (8")

h: 1/2" to 3"

w: 3/4" to 1-1/4" (1")

corner return 3" to 6"

TYPICAL PIECE

Ends random; Natural cleft or sawn top and bottom; weatheredge and seamface face; sides natural split or seamface; back sawn or split ; stone is linear.