

ASHLAR

CHILTON SEDONA
RUSTIC



GEOLOGY: dolomitic limestone- quarried in USA

COLOR RANGE

red, rust, burgundy, and occasional tans

COLOR CONSISTENCY PER PALLET

consistent

PALLET

FULL VENEER: 4,000 pounds

THIN VENEER: 10-15 lbs/ft²; Qty Bx or Sm Bx
Qty Bx- 100 sq ft flats and 50 lineal ft corners
Sm Bx- (24) 8 sq ft flats (192 sq ft) and
(20) 8 lineal ft corners (160 lineal ft)

ASTM TESTING DATA

CHILTON C97 water absorption—0.08%
CHILTON C97 density—177.4 pcf
CHILTON C99 modulus of rupture—1,220 psi
CHILTON C170
compressive strength w/rift—50,560 psi
compressive strength across rift—38,090 psi
CHILTON C880 flexural strength—3,070 psi

PART NUMBER

FULL VENEER:

1BSTBUE01032TN - Sold per Ton

THIN VENEER:

Qty Bx flat: 1BTVBUE01033QB- Sold per pallet

Sm Bx flat: 1BTVBUE01033BX - Sold per box

Qty Bx corner: 1BTVBUE01534QB- Sold per pallet

Sm Bx corner: 1BTVBUE01534BX- Sold per box

ARCHITECT/DESIGNER INFO

MATERIAL BANK

SKU: SM01012



INSTALLATION SHOWN

Mortar: Laticrete MVIS

Joint Type: Drystack

BIM DETAILS

Revit, Hatch Patterns,
Seamless Textures, 3-Part
Specs, DWGS, SDS,
Warranty



FULL VENEER

COMMON COVERAGE *Est.(can vary)

Standard Joint	Drystack	Overgrout
40 square feet / ton	30 ft ² /ton	50 ft ² /ton

DIMENSIONS

l: 6" to 42" (16")

h: 1/2" to 8"

w: 3" to 5" (4")

Stone Ends shall be no less than 2-1/2" width

TYPICAL PIECE

Ends square, natural cleft top and bottom.

Back, split; weatherge & seamface face.

Rectangular in appearance.

THIN VENEER

COMMON COVERAGE PER BOX *Est.(can vary)

Standard Joint	Drystack	Overgrout
8 & 100 square feet	6 & 75 ft ²	10 & 110 ft ²

DIMENSIONS

l: 6" to 24" (12")

h: 1/2" to 8"

w: 3/4" to 1-1/4" (1")

corner return 3" to 5"

TYPICAL PIECE

Ends square, natural cleft top and bottom.

Weatherge & seamface face; back is sawn.

Rectangular in appearance.