

LEDGESTONE

FOND DU LAC
LEDGESTONE



GEOLOGY: dolomitic limestone- quarried in USA

COLOR RANGE
gray, light gray, buff, and white

COLOR CONSISTENCY PER PALLET
somewhat consistent

PALLET
FULL VENEER: 4,000 pounds
THIN VENEER: 10-15 lbs/ft²; Qty Bx or Sm Bx
Qty Bx- 100 sq ft flats and 50 lineal ft corners
Sm Bx- (24) 8 sq ft flats (192 sq ft) and
(20) 8 lineal ft corners (160 lineal ft)

ASTM TESTING DATA
FOND DU LAC C97 water absorption—0.11%
FOND DU LAC C97 density—176.5 pcf
FOND DU LAC C99
modulus of rupture—2,480 psi
FOND DU LAC C170
compressive strength w/rift—31,810 psi
compressive strength across rift—26,550 psi
FOND DU LAC C880
flexural strength—1,740 psi

PART NUMBER

FULL VENEER:
1BSTBUE02044TN - Sold per Ton

THIN VENEER:
Qty Bx flat: 1BTVBUE02048QB - Sold per pallet
Sm Bx flat: 1BTVBUE02048BX - Sold per box
Qty Bx corner: 1BTVBUE02548QB- Sold per pallet
Sm Bx corner: 1BTVBUE02548BX- Sold per box

ARCHITECT/DESIGNER INFO

MATERIAL BANK

SKU: SM05006



INSTALLATION SHOWN

Mortar: Laticrete MVIS
Joint Type: Drystack

BIM DETAILS

Revit, Hatch Patterns,
Seamless Textures, 3-Part
Specs, DWGS, SDS,
Warranty



FULL VENEER

COMMON COVERAGE *Est.(can vary)
Standard Joint Drystack Overgrout
40 square feet / ton 30 ft²/ton 50 ft²/ton

DIMENSIONS
l: 4" to 16" (8")
h: 3/4" to 2-1/4"
w: 3" to 5" (4")
TYPICAL BLEND
up to 30 percent may be sawn top and bottom with a bedface face;
face of stone cannot have a sawn finish

TYPICAL PIECE
Ends random; natural cleft or sawn top and bottom; face and sides natural split, bedface or seamface; back sawn, split, or bedface; stone is linear.

THIN VENEER

COMMON COVERAGE PER BOX *Est.(can vary)
Standard Joint Drystack Overgrout
8 & 100 square feet 6 & 75 ft² 10 & 110 ft²

DIMENSIONS
l: 4" to 16" (8")
h: 3/4" to 2-1/4"
w: 3/4" to 1-1/4" (1")
corner return 3" to 5"
TYPICAL BLEND

up to 30 percent may be sawn top and bottom with a bedface face; face of stone cannot have a sawn finish
TYPICAL PIECE
Ends random; natural cleft or sawn top and bottom; face and sides natural split, bedface or seamface; back sawn; stone is linear.