

## DIMENSIONAL

FOND DU LAC  
SHABBY-CHIC  
TAILORED BLEND



**GEOLOGY:** dolomitic limestone - quarried in USA

**COLOR RANGE**  
light gray to white

**COLOR CONSISTENCY PER PALLET**  
somewhat consistent

**PALLET**  
FULL VENEER: 4,000 pounds  
THIN VENEER: 10-15 lbs/ft<sup>2</sup>; Qty Bx or Sm Bx  
Qty Bx- 100 sq ft flats and 50 lineal ft corners  
Sm Bx- (24) 8 sq ft flats (192 sq ft) and  
(20) 8 lineal ft corners (160 lineal ft)

### ASTM TESTING DATA

FOND DU LAC C97 water absorption—0.11%  
FOND DU LAC C97 density—176.5 pcf  
FOND DU LAC C99  
modulus of rupture—2,480 psi  
FOND DU LAC C170  
compressive strength w/rift—31,810 psi  
compressive strength across rift—26,550 psi  
FOND DU LAC C880  
flexural strength—1,740 psi

### PART NUMBER

**FULL VENEER:**  
1BSTBUE02070TN - Sold per Ton  
**THIN VENEER:**  
Qty Bx flat: 1BTVBUE02070QB - Sold per pallet  
Sm Bx flat: 1BTVBUE02070BX - Sold per box  
Qty Bx corner: 1BTVBUE02570QB - Sold per pallet  
Sm Bx corner: 1BTVBUE02570BX - Sold per box

### ARCHITECT/DESIGNER INFO

#### MATERIAL BANK

SKU: SM03005



### INSTALLATION SHOWN

Mortar: Laticrete- Std. Gray  
Joint Type: Raked

### BIM DETAILS

Revit, Hatch Patterns,  
Seamless Textures, 3-Part  
Specs, DWGS, SDS,  
Warranty



### FULL VENEER

#### COMMON COVERAGE \*Est.(can vary)

Standard Joint	Drystack	Overgrout
40 square feet / ton	30 ft <sup>2</sup> /ton	50 ft <sup>2</sup> /ton

#### DIMENSIONS

l: 6" to 24" (12")  
h: 2-1/4"; h: 5";  
h: 7-3/4"  
w: 3" to 5" (4")  
note: ± 1/8" on sawn heights

#### TYPICAL BLEND

33.33 percent 2-1/4"; 33.33 percent 5";  
33.33 percent 7-3/4"

#### TYPICAL PIECE

Ends square; sawn top and bottom; sides are split; bedface face and back; stone is rectangular in appearance with length longer than height.

### THIN VENEER

#### COMMON COVERAGE PER BOX \*Est.(can vary)

Standard Joint	Drystack	Overgrout
8 & 100 square feet	6 & 75 ft <sup>2</sup>	10 & 110 ft <sup>2</sup>

#### DIMENSIONS

l: 6" to 24" (12")  
h: 2-1/4"; h: 5";  
h: 7-3/4"  
w: 3/4" to 1-1/4" (1")  
corner return 3" to 5"  
note: ± 1/8" on sawn heights

#### TYPICAL BLEND

33.33 percent 2-1/4"; 33.33 percent 5";  
33.33 percent 7-3/4"

#### TYPICAL PIECE

ends square; sawn top and bottom; sides are split; bedface face and sawn back; stone is rectangular in appearance with length longer than height.