

DIMENSIONAL

FOND DU LAC

TAILORED BLEND

50% ROCKFACED



GEOLOGY: dolomitic limestone - quarried in USA

COLOR RANGE

gray, light gray, buff, and white

COLOR CONSISTENCY PER PALLET

somewhat consistent

PALLET

FULL VENEER: 4,000 pounds

THIN VENEER: 10-15 lbs/ft²; Qty Bx or Sm Bx
Qty Bx- 100 sq ft flats and 50 lineal ft corners
Sm Bx- (24) 8 sq ft flats (192 sq ft) and
(20) 8 lineal ft corners (160 lineal ft)

ASTM TESTING DATA

FOND DU LAC C97 water absorption—0.11%

FOND DU LAC C97 density—176.5 pcf

FOND DU LAC C99

modulus of rupture—2,480 psi

FOND DU LAC C170

compressive strength w/rift—31,810 psi

compressive strength across rift—26,550 psi

FOND DU LAC C880

flexural strength—1,740 psi



PART NUMBER

FULL VENEER:

1BSTBUE02010TN - Sold per Ton

THIN VENEER:

Qty Bx flat: 1BTVBUE02024QB - Sold per pallet

Sm Bx flat: 1BTVBUE02024BX- Sold per box

Qty Bx corner: 1BTVBUE02523QB- Sold per pallet

Sm Bx corner: 1BTVBUE02523BX- Sold per box

ARCHITECT/DESIGNER INFO

MATERIAL BANK

SKU: SM03007



INSTALLATION SHOWN

Mortar: Western W-11

Joint Type: Raked

BIM DETAILS

Revit, Hatch Patterns,
Seamless Textures, 3-Part
Specs, DWGS, SDS,
Warranty



FULL VENEER

COMMON COVERAGE *Est.(can vary)

Standard Joint	Drystack	Overgrout
40 square feet / ton	30 ft ² /ton	50 ft ² /ton

DIMENSIONS

l: 6" to 42" (24")

h: 2-1/4"; h: 5";

h: 7-3/4"; h: 10-1/2"

w: 3" to 5" (4")

note: ± 1/8" on sawn heights - additional heights available

TYPICAL BLEND

20 percent 2-1/4"; 40 percent 5";

30 percent 7-3/4"; 10 percent 10-1/2"

TYPICAL PIECE

Ends square; sawn top and bottom; sides are split; splitface, bedface back and face; stone is rectangular in appearance with length longer than height Fifty percent hand trimmed with a hammer and chisel on the entire face.

THIN VENEER

COMMON COVERAGE PER BOX *Est.(can vary)

Standard Joint	Drystack	Overgrout
8 & 100 square feet	6 & 75 ft ²	10 & 110 ft ²

DIMENSIONS

l: 6" to 24" (12")

h: 2-1/4"; h: 5";

h: 7-3/4"; h: 10-1/2"

w: 3/4" to 1-1/4" (1")

corner return 3" to 5"

note: ± 1/8" on sawn heights- additional heights available

TYPICAL BLEND

20 percent 2-1/4"; 40 percent 5";

30 percent 7-3/4"; 10 percent 10-1/2"

TYPICAL PIECE

Ends square; sawn top and bottom; sides are split; splitface and bedface face; sawn back; stone is rectangular having linear sawn appearance with length longer than height. Fifty percent hand trimmed with a hammer and chisel on the entire face.