

DIMENSIONAL

JUTE CLOTH

TAILORED BLEND



GEOLOGY: limestone - quarried in USA

COLOR RANGE

tans, buffs, browns, grays, yellows, golds,

COLOR CONSISTENCY PER PALLET

somewhat consistent

PALLET

FULL VENEER: 4,000 pounds

THIN VENEER: 10-15 lbs/ft²; Qty Bx or Sm Bx
Qty Bx- 100 sq ft flats and 50 lineal ft corners
Sm Bx- (24) 8 sq ft flats (192 sq ft) and
(20) 8 lineal ft corners (160 lineal ft)

ASTM TESTING DATA

JUTE CLOTH C97 water absorption—10.03%
specific gravity — 1.995 to 2.008
density—125.1 lbs/ft³

JUTE CLOTH C170

dry perpendicular—4,040 psi
wet perpendicular—1,830 psi
dry parallel —3,210 psi
wet parallel—1,480 psi

JUTE CLOTH C880

flexural strength-wet —440 psi
flexural strength-dry —600 psi

PART NUMBER

FULL VENEER:

1BSTKNS03001TN - Sold per Ton

THIN VENEER:

Qty Bx flat: 1BTVKNS03001QB - Sold per pallet

Sm Bx flat: 1BTVKNS03001BX - Sold per box

Qty Bx corner: 1BTVKNS03501QB - Sold per pallet

Sm Bx corner: 1BTVKNS03501BX - Sold per box

ARCHITECT/DESIGNER INFO

MATERIAL BANK

SKU: SM03011



INSTALLATION SHOWN

Mortar: Western W-5 (white)

Joint Type: Raked

BIM DETAILS

Revit, Hatch Patterns,
Seamless Textures, 3-Part
Specs, DWGS, SDS,
Warranty



FULL VENEER

COMMON COVERAGE *Est.(can vary)

Standard Joint	Drystack	Overgrout
40 square feet / ton	30 ft ² /ton	50 ft ² /ton

DIMENSIONS

l: 6" to 42" (24")

h: 2-1/4"; h: 5";

h: 7-3/4"; h: 10-1/2"

w: 3" to 5" (4")

note: ± 1/8" on sawn heights - additional heights available

TYPICAL BLEND

20 percent 2-1/4"; 40 percent 5";

30 percent 7-3/4"; 10 percent 10-1/2"

TYPICAL PIECE

Ends square; sawn top and bottom; sides are split; splitface face and back with occasional bedface; stone is rectangular in appearance with length longer than height.

THIN VENEER

COMMON COVERAGE PER BOX *Est.(can vary)

Standard Joint	Drystack	Overgrout
8 & 100 square feet	6 & 75 ft ²	10 & 110 ft ²

DIMENSIONS

l: 6" to 24" (12")

h: 2-1/4"; h: 5";

h: 7-3/4"; h: 10-1/2"

w: 3/4" to 1-1/4" (1")

corner return 3" to 5"

note: ± 1/8" on sawn heights- additional heights available

TYPICAL BLEND

20 percent 2-1/4"; 40 percent 5";

30 percent 7-3/4"; 10 percent 10-1/2"

TYPICAL PIECE

Ends square; sawn top and bottom; sides are split; splitface face with occasional bedface and sawn back; stone is rectangular in appearance with length longer than height.