

**LEDGESTONE**  
**HIGHLAND GRAY**  
**LEDGESTONE**



**GEOLOGY:** schist- quarried in USA

**COLOR RANGE**

grays and whites with black veining, occasional buffs, tans, golds, oranges, browns, and rusts

**COLOR CONSISTENCY PER PALLET**

somewhat consistent

**PALLET**

FULL VENEER: 4,000 pounds  
 THIN VENEER: 10-15 lbs/ft<sup>2</sup>; Qty Bx or Sm Bx  
 Qty Bx- 100 sq ft flats and 50 lineal ft corners  
 Sm Bx- (24) 8 sq ft flats (192 sq ft) and  
 (20) 8 lineal ft corners (160 lineal ft)

**ASTM TESTING DATA**

**HIGHLAND GRAY C97**  
 water absorption—1.4%  
**HIGHLAND GRAY C97**  
 specific gravity—2.54  
**HIGHLAND GRAY C97**  
 density—158.4 pcf  
**HIGHLAND GRAY C99**  
 modulus of rupture perpendicular dry—2,460 psi  
 modulus of rupture perpendicular wet—2,050 psi  
 modulus of rupture parallel wet—1,308 psi  
**HIGHLAND GRAY C170**  
 compressive strength parallel wet—14,180 psi  
 compressive strength perpendicular wet—12,920 psi

**PART NUMBER**

**FULL VENEER:**

1BSTGRA05020TN - Sold per Ton

**THIN VENEER:**

Qty Bx flat: 1BTVGRA05030QB - Sold per pallet

Sm Bx flat: 1BTVGRA05030BX- Sold per box

Qty Bx corner: 1BTVGRA05530QB- Sold per pallet

Sm Bx corner: 1BTVGRA05530BX- Sold per box

**ARCHITECT/DESIGNER INFO**

**MATERIAL BANK**

SKU: SM05012



**INSTALLATION SHOWN**

Mortar: Quikrete Type- S

Joint Type: Raked

**BIM DETAILS**

Revit, Hatch Patterns,  
 Seamless Textures, 3-Part  
 Specs, DWGS, SDS,  
 Warranty



**FULL VENEER**

**COMMON COVERAGE** \*Est.(can vary)

Standard Joint	Drystack	Overgrout
35 square feet / ton	25 ft <sup>2</sup> /ton	45 ft <sup>2</sup> /ton

**DIMENSIONS**

l: 4" to 16" (8")

h: 1/2" to 3"

w: 3" to 5" (4")

**TYPICAL BLEND**

up to 30 percent may be sawn top and bottom with a bedface face;

face of stone cannot have a sawn finish

**TYPICAL PIECE**

Ends random; natural cleft top and bottom;

natural split or seamface face,

sides natural split or seamface;

back sawn or split; stone is linear.

**THIN VENEER**

**COMMON COVERAGE PER BOX** \*Est.(can vary)

Standard Joint	Drystack	Overgrout
8 & 100 square feet	6 & 75 ft <sup>2</sup>	10 & 110 ft <sup>2</sup>

**DIMENSIONS**

l: 4" to 16" (8")

h: 1/2" to 3"

w: 3/4" to 1-1/4" (1")

corner return 3" to 6"

**TYPICAL BLEND**

up to 30 percent may be sawn top and bottom with a bedface face;

face of stone cannot have a sawn finish

**TYPICAL PIECE**

Ends random; natural cleft top and bottom;

weatheredge and seamface face;

sides, natural split or seamface;

back sawn; stone is linear.