



MOSAIC

GRANITE COBBLES

GEOLOGY: granite

BASIC USE

exterior walls of buildings and fireplaces
stone shall be mortared in

COLOR RANGE

red, pinks, black, and blues

COLOR CONSISTENCY PER PALLET

consistent

WEIGHT CALCULATED IN INCHES

$l \times w \times h / 1728$ (inches cubed) $\times 170$
= approx 170 pounds per cubic foot

PALLET

FULL VENEER: 4,000 pounds
THIN VENEER: 10-15 lbs/ft²; Qty Bx or Sm Bx
Qty Bx - 100 sq ft flats and 50 lineal ft corners
Sm Bx - (24) 8 sq ft flats (192 sq ft) and
(20) 8 lineal ft corners (160 lineal ft)

FULL VENEER

COMMON COVERAGE 3" to 8" *Est.(can vary)

Standard Joint	Drystack	Overgrout
40 square feet / ton	30 ft ² /ton	50 ft ² /ton

COMMON COVERAGE 6" to 12" *Est.(can vary)

Standard Joint
25 square feet / ton

GRANITE COBBLES

DIMENSIONS

US: inches

l: 3" to 8" dia. -or-
l: 6" to 12" dia.
h: 3" to 8" dia. -or-
h: 6" to 12" dia.
w: 3" to 8" dia. -or-
w: 6" to 12" dia.

METRIC: mm

l: 76 to 203 dia. -or-
l: 152 to 304 dia.
h: 76 to 203 dia. -or-
h: 152 to 304 dia.
w: 76 to 203 dia. -or-
lw 152 to 304 dia

note: lengths and heights are round shapes
3 inches to 12 inches in diameter

TYPICAL PIECE

ends round;
round, somewhat smooth stones

PART NUMBERS

FULL VENEER

part number 3" to 8": 1RWSGRA01002TN
part number 6" to 12": 1RWSGRA01003TN

THIN VENEER

qty bx flat: 1BTVGRA01001QB
sm bx flat: 1BTVGRA01001BX
qty bx corner: 1BTVGRA01501QB
sm bx corner: 1BTVGRA01501BX

THIN VENEER

COMMON COVERAGE PER BOX *Est.(can vary)

Standard Joint	Drystack	Overgrout
8 & 100 square feet	6 & 75 ft ²	10 & 110 ft ²

GRANITE COBBLES

DIMENSIONS

US: inches (average) METRIC: mm (average)

l: 3" to 12" dia. l: 76 to 304 dia.

h: 3" to 12" dia. h: 76 to 304 dia.

w: 3/4" to 1-1/4" (1") w: 19 to 31 (25)

corner return 3" to 5" cr: 76 to 127

note: lengths and heights are round shapes

3 inches to 12 inches in diameter

TYPICAL PIECE

ends round;
round, somewhat smooth stones;
back is sawn

ASTM TESTING DATA

GRANITE COBBLES C97

water absorption—0.15%

GRANITE COBBLES C97 density—163.34 pcf

GRANITE COBBLES C97

specific gravity—2.6 to 2.81

GRANITE COBBLES C170

compressive strength—20,731 psi

GRANITE COBBLES C880

flexural strength—1,681 psi

GRANITE COBBLES C241

abrasion resistance—80.46



www.buechelstone.com