



GEOLOGY: quartzitic sandstone

BASIC USE

exterior walls of buildings and fireplaces
stone shall be mortared in

COLOR RANGE

light buff to dark brown,
ranges of green and light red,
stone has occasional veins

COLOR CONSISTENCY PER PALLET


somewhat consistent

WEIGHT CALCULATED IN INCHES

l x w x h / 1728 (inches cubed) x 160
= approx 160 pounds per cubic foot

PALLET

FULL VENEER: 4,000 pounds
THIN VENEER: 10-15 lbs/ft²; Qty Bx or Sm Bx
Qty Bx - 100 sq ft flats and 50 lineal ft corners
Sm Bx - (24) 8 sq ft flats (192 sq ft) and
(20) 8 lineal ft corners (160 lineal ft)



FULL VENEER

COMMON COVERAGE *Est.(can vary)

Standard Joint	Drystack	Overgrout
40 square feet / ton	30 ft ² /ton	50 ft ² /ton

TAMARACK SIENA

DIMENSIONS

US: inches (average) **METRIC: mm (average)**

l: 6" to 16" l: 152 to 406

h: 2" to 8" h: 50 to 203

w: 3" to 5" (4") w: 76 to 127 (101)

note: product can vary in height from full height to half the total height in one piece

TYPICAL BLEND

10 percent installed bedface out;
stone is snapped at least one face;
sides may or may not be squared;
overall appearance of stone will be linear when installed

TYPICAL PIECE

ends random;
natural cleft top and bottom;
split or natural split face, split back;
most sides more irregular and not square

PART NUMBERS

FULL VENEER

part number: 1BSTPEN02001TN

THIN VENEER

qty bx flat: 1BTVPEN02001QB
sm bx flat: 1BTVPEN02001BX
qty bx corner: 1BTVPEN02501QB
sm bx corner: 1BTVPEN02501BX

THIN VENEER

COMMON COVERAGE PER BOX *Est.(can vary)

Standard Joint	Drystack	Overgrout
8 & 100 square feet	6 & 75 ft ²	10 & 110 ft ²

TAMARACK SIENA

DIMENSIONS

US: inches (average) **METRIC: mm (average)**

l: 6" to 16" l: 152 to 406

h: 2" to 8" h: 50 to 203

w: 3/4" to 1-1/4" (1") w: 19 to 31 (25)

corner return 3" to 5" cr: 76 to 127

note: product can vary in height from full height to half the total height in one piece

TYPICAL BLEND

10 percent installed bedface out;
stone is snapped at least one face;
sides may or may not be squared;
overall appearance of stone will be linear when installed

TYPICAL PIECE

ends random;
natural cleft top and bottom;
split or natural split face and sawn back;
most sides more irregular and not square