



CUT STONE

FOND DU LAC PANELS & CUT STONE APPS

GEOLOGY: limestone

BASIC USE

unlimited cut stone applications including: panels, hearths and mantels, pier caps, sills, and custom items for specific needs

COLOR RANGE

gray, light gray, buff, and white

COLOR CONSISTENCY PER PALLET

somewhat consistent

WEIGHT CALCULATED IN INCHES

$l \times w \times h / 1728$ (inches cubed) $\times 170$
= approx 170 pounds per cubic foot

PALLET

LBS / PALLET: as specified per order

RECOMMENDED FINISH OPTIONS

sawn; sand; sandblast; bushhammer; rockface; eased edge; natural; thermal; & weatheredge.

Note: Bullnose finish not recommended.
Note: Chance of pink/red tint to appear with any thermaling.

STONE PANELS

COVERAGES

coverages calculated per custom fabrication

FOND DU LAC PANELS

CUSTOM CUT TO SPEC

sawn to specified height and length for easy installation; with installation similar to a CMU DIMENSIONS EXAMPLE

| US: inches | METRIC: mm |
|-------------|-----------------|
| l: 23-5/8" | l: 600 mm |
| h: 11-5/8" | h: 295 mm |
| w: 3" to 5" | w: 76 to 127 mm |

note: dimensions example per image at top
TYPICAL PIECE

ends square; all sides sawn; stone shape(s) and finishing to be specified per order

COMMON APPLICATIONS

FOND DU LAC HEARTHES & MANTELS

large selection of custom sizes available; wide range of colors and finishes; can be custom made for specific needs

STANDARD DIMENSIONS EXAMPLE

| US: inches & feet | METRIC: mm & m |
|-------------------|----------------------|
| l: 6' (maximum) | l: 1-3/4 m (maximum) |
| h: 3" to 5" | h: 76 mm to 127 mm |
| d: 24" (maximum) | d: 609 mm (maximum) |

note: radius available if specified

TYPICAL PIECE

stone shape and finishing of face/ends to be specified per order

COMMON APPLICATIONS

FOND DU LAC ACCESSORIES

accent pieces (e.g. quoins, keystones, light mounts) custom cut to project requirements

DOOR & WINDOW SURROUNDS

basic and ornate options custom cut to spec; CAD shop dwgs available for job site approval

FIREPLACE SURROUNDS

standard and custom options; CAD dwgs available for job site approval; can be used stand alone and with stone or brick fireplaces

PIER CAPS

large selection of standard and custom sizes available; wide range of colors and finishes; can be custom made for specific needs

STANDARD DIMENSIONS EXAMPLE

| US: inches | METRIC: mm |
|------------|------------|
| l: 24" | l: 609 mm |
| h: 3" | h: 76 mm |
| w: 24" | w: 609 mm |

TYPICAL PIECE

ends square; stone shape(s) and finishing can be specified per order; custom sizes available

SILLS

large selection of standard and custom sizes available; wide range of colors and finishes; can be custom made for specific needs

STANDARD DIMENSIONS EXAMPLE

| US: inches & feet | METRIC: mm & m |
|---------------------|----------------------|
| l: 4' (maximum) | l: 1-1/4 m (maximum) |
| h: 1-1/4" (minimum) | h: 32 mm (minimum) |
| d: per order | d: per order |

TYPICAL PIECE

ends square; stone shape(s) and finishing to be specified per order

SWATCHES

COLOR RANGES



ASTM TESTING DATA

FOND DU LAC C97 water absorption—0.36%

FOND DU LAC C97 density—174.2 pcf

FOND DU LAC C99

modulus of rupture—1,470 psi

FOND DU LAC C170

compressive strength w/rift—29,040 psi

compressive strength across rift—34,240 psi

FOND DU LAC C880

flexural strength—1,740 psi



www.buechelstone.com